

I/112750/2022

HARYANA STATE POLLUTION CONTROL BOARD
C-11, SECTOR-6, PANCHKULA
Ph-0172-577870-73, Fax No. 2581201
E-Mail hspcbcoordination@gmail.com

Dated:11/05/2022

To

The Secretary,
Ministry of Environment Forest,
and Climate Change, Govt. of India,
Indira paryavaran Bhawan,
Aliganj, Jor Bhag Road, New Delhi-110003.

Subject: Proceeding of the Public Hearing under the provision of EIA notification 2006 (amended to date) for M/s Surya Organic, Khasra no. 2//23, 8//3, 8//7, 8//8/1, Village Sherpur, Tehsil Sahazadpur, District Ambala for manufacturing of formaldehyde having capacity of 200 TPD under Chairmanship of Sh. Sachin Gupta IAS, Additional Deputy Commissioner, Ambala, held on dated 13.04.2022 at 11:00 AM.

In this connection, I have been directed to enclosed herewith the proceeding of the Public Hearing held on 13.04.2022 at 11.00 AM at site of the proposed unit i.e. Khasra no. 2//23, 8//3, 8//7, 8//8/1, Village Sherpur, Tehsil Sahazadpur, District Ambala for M/s Surya Organic, Khasra no. 2//23, 8//3, 8//7, 8//8/1, Village Sherpur, Tehsil Sahazadpur, District Ambala for manufacturing of formaldehyde having capacity of 200 TPD under Chairmanship of Sh. Sachin Gupta IAS, Additional Deputy Commissioner, Ambala along with video-recording, (DVDs/CDs, photographs, (Original) & attendance sheet for your information and further necessary action please.

DA/As Above.

Signed by Sanjiv Kumar

Date: 11-05-2022 17:07:17

Reason: Approved

Sr. Env. Engineer (HQ)
For Member Secretary

Copy to:

A copy of above is forwarded to the following for information & further necessary action please.

1. The Chairman, State Environment Impact Assessment Authority, Bay no. 55-58, 1st Floor, Paryatan Bhawan, Sector-2, Panchkula.
2. SEE (IT Cell) is requested to upload the proceeding on website of the Board.
3. Regional Officer, HSPCB, Ambala.

Regional Office,

Haryana State Pollution Control Board

Near The Orion Banquet, Naraingarh Road, Baldev Nagar, Ambala
Email-hspcbroamb@gmail.com

HSPCB/AMB/2022/2792

Dated: 26.04.2022

To

The Member Secretary,
Haryana State Pollution Control Board,
Panchkula.

Kind Attention : S.E.E. Coordination Cell (HQ)

Sub: Draft EIA/EMP report submission for conducting of public hearing w.r.t proposed project of Formaldehyde manufacturing unit of capacity 200 TPD at Khasra no. 2//23, 8//3, 8//7, 8//8/1, Village Sherpur, Tehsil Shahzapur, District Ambala-Haryana by M/s Surya Organic.

Kindly refer to Head office File No.HSPCB-080002/31/2022-COORDINATION CELL-HSPCB I/97972/2022 dated 23.02.2022.

In this connection, please find enclosed herewith the proceeding of the Public hearing held on 13.04.2022 alongwith attendance of Officers and residents of nearby villages attached as **Annexure-A**, Videography and photographs of the public hearing attached as **Annexure-B** & 02 nos. of representation submitted by the villagers during the hearing are attached as **Annexure - C & D**.

This is submitted for your kind information and further necessary action, please.

DA/As above.

Regional Officer
Ambala Region

Proceeding of the Public Hearing under the provision of EIA notification 2006 (amended to date) for M/s Surya Organic, Khasra no. 2//23, 8//3, 8//7, 8//8/1, Village Sherpur, Tehsil Sahazadpur, District Ambala for manufacturing of formaldehyde having capacity of 200 TPD under Chairmanship of Sh. Sachin Gupta IAS IAS, Additional Deputy Commissioner, Ambala, held on dated 13.04.2022 at 11:00 AM.

The Public hearing was held as a mandatory requirement under EIA notification dated 14.09.2006 as amended till date. Public notice was got published by Haryana State Pollution Control Board Panchkula in the leading newspapers to conduct public hearing for Environmental Clearance of the project scheduled on 13.04.2022.

PROJECT – M/s Surya Organic, Khasra no. 2//23, 8//3, 8//7, 8//8/1, Village Sherpur, Tehsil Sahazadpur, District Ambala for manufacturing of formaldehyde having capacity of 200 TPD.

Date & Time: 13 April 2022, 11:00 AM

Venue: Site of the proposed unit i.e. Khasra no. 2//23, 8//3, 8//7, 8//8/1, Village Sherpur, Tehsil Sahazadpur, District Ambala.

Officer/Officials present:

1. Sh. Nitin Mehta, Regional Officer, HSPCB, Ambala Region.
2. Sh. Sukhram, Sc.B, HSPCB, Ambala Region.
3. Sh. Subhash Chander, Superintendent, DIC, Ambala.
4. Sh. Som Nath, Section Officer, Municipal Corporation, Ambala.
5. Sh. Surender Kapoor, ABPO, O/o of BDPO Sahazadpur, Ambala.
6. Sh. Piyush Luthra, O/o DIC, Ambala.

The public of concerned area of District Ambala were informed through public announcements to attend this hearing.

Sh. Sachin Gupta IAS, Additional Deputy Commissioner, Ambala presided over this public hearing held on 13.04.2022. The attendance of officers present from various departments and the residents of nearby villages is given at **Annexure-'A'**.

Besides Govt. Officers/officials of the District Administration, general public from the nearby villages attended the hearing at site of the proposed unit.

Videography and Photographs prepared during hearing are enclosed herewith for reference as **Annexure-'B'**.

Handwritten signatures and initials, including "S.G." and "S.G."

Handwritten signature



Sh. Nitin Mehta, Regional Officer, HSPCB, Ambala Region, welcomed the Additional Deputy Commissioner, Ambala, other Officers and general public present in the hearing. He explained about the necessity of the public hearing being held under provision of EIA notification of 2006, amended to date. He detailed about the requirement for obtaining Environmental Clearance under the EIA notification from MoEF, Govt. of India. He particularly emphasized that those present in the hearing should raise their queries/suggestion/objection regarding any problem which may crop after commissioning of this project. He added that Haryana State Pollution Control Board is bound to implement Environmental Laws i.e. Water Act, 1974/ Air Act, 1981/ EP Act, 1986.

Further, formal permission to start the process of public hearing was granted by the Chairman Sh. Sachin Gupta IAS, Additional Deputy Commissioner, Ambala.

Thereafter Sh. Nitin Mehta, Regional Officer, HSPCB, Ambala Region requested Sh. Pawan Kumar Verma, Project proponent consultant to give the presentation of the project in detail and remedies taken by the project proponent to control the environmental impacts which may arise after establishment of the proposed project.

Sh. Pawan Kumar Verma (Environment Consultant of Project Proponent) welcomed the participants and began the presentation. He explained about the proposed project of formaldehyde having capacity of 200 TPD. The Environmental consultant also detailed about the project regarding project location, description of the project, baseline monitoring results of air, water, noise and soil, Air and Noise Quality Control, Greenbelt/plantation development.

After the presentation, Sh. Nitin Mehta, Regional Officer, Ambala Region requested the public to raise their suggestions, objections, views, queries and doubts about any problem which may arise due to proposed project. The detail of queries raised during the hearing is given as under:



Thereafter, the following questions were raised by the public.

Sr. No.	Name and address of Stakeholder	Query	Reply
1.	Sh. Nitin Mehta, RO	What would be the disposal and treatment of effluent discharged from wet scrubber?	Sh. Pawan Kumar Verma, consultant, replied that the boiler will be operated for 2 to 3 times in a year for short duration and the effluent containing ash content will be used for irrigation purpose. The boiler will also be equipped with pollution control devices and the acidic and alkaline characteristics of discharge will be neutralized in scrubber with respective neutralizer. Moreover, the proposed unit will obtain CTE/CTO from Pollution Control Board & will release the emissions within prescribed standards. He further stated that the unit will install boiler with all pollution control devices as per the permission obtained from the Pollution Control Board.
2.	Sh. Nitin Mehta, RO	What would be arrangement for checking the leakage of formaldehyde / Methanol?	Sh. Pawan Kumar Verma, consultant, replied that it will be stored in underground storage tank designed as per the directions of PESO. The approval by PESO is only given on the basis of design of underground storage tank. The said plant will have the closed system, if there would be any leakage, same will be detected with leakage detection system immediately and plant will stop for the necessary rectification.
3.	Sh. Nitin Mehta, RO	How much quantity of Water will be stored in the unit?	Sh. Pawan Kumar Verma, consultant, replied that there will be requirement of 150 KLD of water for proposed unit and in this process about 50% Methanol

Handwritten signature

Handwritten signature

			<p>& 50% water is required for manufacturing of formaldehyde. Therefore about 100 KLD water will be used in the process. Moreover, if we will condensate the evaporated water, the requirement of fresh water will be further reduced. One tank will be installed to store the water. He further stated that the chemical industry have to store their waste water to reuse in the process. Even they have to establish the rain water harvesting system to reduce the ground water extraction as the water is raw material for such plants and have to achieve zero liquid discharge.</p>
4.	Sh. Rajesh, Village Dhamoli	How many workers will be employed in the plant and how many will be from local area?	<p>Sh. Pawan Kumar Verma, consultant, replied that the worker will be employed in 2 stages i.e. at the time of construction and at the time of start of operation. At the time of construction of the unit about 20 to 25 workers will be required and most of them will be employed from local area. Being a small unit the work of construction will be complete within 06 month approx. At the time of operation about 20 workers will be employed, out of which the only technical/ engineers workers may be employed from outside, if no suitable candidate is available in local area. The remaining workers will be employed from the local area for the operation of the unit.</p>
5.	Sh. Samer Singh, Village Sherpur	Where would be the drainage of rain water after establishment of the	<p>Sh. Karan Jindal, owner replied that the area in front of culverts will be kept for plantation</p>

su

[Signature]



		said unit as at present there are 02 nos. culvert in front of the proposed project site for its drainage?	purpose and proper ground level will be maintained.
6.	Sh. Jatinder Singh, Sarpanch, Village Sherpur	He requested the unit owners to give assurance for proper arrangement of disposal of rain water. He also requested the general public to raise their queries through him if there is any language problem. He also informed that there is a distillery, poultry farms, brick kilns nearby their village. He also requested to give assurance that there will be no pollution problem from the proposed project.	Sh. Vijay Mittal, representative of the unit replied that there will be no trade effluent discharge from the unit. The source of air emission will be the boiler which will be used for 2-3 times in a year for 2-3 hours only. The plant and machinery will be installed above the ground level and drainage of water will be managed properly and plantation will be done in the open area. W.r.t. the employment, he informed that the man power will be taken from the local area as much as possible.
7.	Sh. Nitin Mehta, RO	Which fuel would be used and what would be its storage arrangement?	Sh. Pawan Kumar Verma, consultant, replied that Biomass and HSD will be used as fuel. Fuel will be stored in covered areas.
		How the unit will dispose off the ash generated from boiler?	Sh. Pawan Kumar Verma, consultant, replied that very less quantity of Ash will be produced and it will be disposed in plantation area.
		How much quantity of fuel will be used?	Sh. Vijay Mittal, representative of the unit replied that 500 Kg/Hours of fuel will be used.
		What would be the capacity of Boiler?	Sh. Vijay Mittal, representative of the unit replied that the capacity of the proposed boiler is 0.8 TPH & approx. 300 Kg ash will be produced which will be disposed in plantation area.

Handwritten signature

Handwritten signature


Handwritten signature

		Further the unit is advised to ensure that ash will be disposed off in proper manner and no nuisance is being caused in the nearby area due to flying of ash.	The project proponent assumed the same.
8.	Sh. Jatinder Singh, Sarpanch, Village Sherpur	He asked whether the ash will be disposed off with in the premises or will it be thrown outside the premises?	Sh. Pawan Kumar Verma, consultant, replied that Ash will be disposed within the premises of unit.
9.	Sh. Avneet Singh, Village Sherpur	Where would be the drainage of rain water after establishment of the said unit with boundary walls as at present there are 02 nos. culvert in front of the proposed project site for its drainage?	Sh. Vijay Mittal, representative of the unit replied that boundary walls are essential for the security of the unit and further stated that the arrangement with the boundary wall will be developed in such a manner that there will be no barrier for the natural flow of rain water.
9.	Sh. Nitin Mehta, RO	RO, HSPCB again requested the public to raise the Environmental issues if any related to this project. But no more issues were raised inspite of repeated requests.	

02 nos. of representation submitted by the villagers during the hearing are attached as **Annexure - C & D.**

As there were no more queries, the Chairman, Sh. Sachin Gupta IAS, Additional Deputy Commissioner, Ambala closed the public hearing for this project.






The public hearing was concluded with the vote of thanks to the chair.


(Sukhram, Sc.B)
HSPCB, Ambala Region


(Nitin Mehta)
Regional Officer
Haryana State Pollution Control Board
Ambala Region


(Sachin Gupta IAS)
Ld. Additional Deputy Commissioner
Ambala

A Handance of officers/official persons in public name of
 of m/s Surya organic vill - Sherpur, Distt Ambala on 13-4-22

Sr. No.	Name	Designation	Mobile No.	Signature
1.	Sachin Gupta.	ADC Ambala.	—	
2.	Nitin Mehta	R.O. HSPCB	9467575075	NM
3.	Subhash Chander	Subpd. DIC Ambala	98133.74784	
4	Prakash Lohra	Secy - Typist, DIC	9466019860	
5.	Som Nath	Section officer Municipal Corporation, Ambala	9995648121	
6	Suresh Kapra	AB/O BPO/Star	87519 60000	
7	Sukhlam	SCB	9468303062	SL
	XXX	—	XXX	—

[13-4-2022 at 11:00 AM]

Attendance of ~~the~~ general Public Present in Public Hearing of M/s Surya Organic Vill-Sherpur, Distt-Ambal

Sr.No	NAME	ADDRESS	Mob. No.	Signature
①	JATINDER SINGH	Sherpur	9813474604	Jatinder
②	Mad SINGH		811 116 94 16705	
③	PRINCE		9671948923	Prince
④	Balwinder Singh	Sherpur	9416686720	Balwinder
⑤	SUKHDEV		9416868904	
⑥	HARBANS LAL		9350272037	Harbans
⑦	SUNIL KUMAR		9468390232	
⑧	AVNIT SINGH	Sherpur	946740465	
⑨	NARMAIL SINGH		8053018830	
⑩	Pawan KUMAR		9991288417	
⑪	KRISHAN KUMAR			
⑫	HARSH		8395980678	
⑬	KARAN SINGH		9416328499	
⑭	Sumer Singh		9991180149	
⑮	SHER SINGH	Sher Singh	9350139969	
⑯	RANBIR SINGH			

Sr. No	Name	Address	Mob. No.	Signature
(17)	Rohit Kumar	Sheepur	9469 99209	
(18)	Manish	Sheepur	9996024014	
(19)	Rohit Saini	Karasaan	903484485	
(20)	Mahendra Singh	Karasaan	9466843118	
(21)	VISHV KUMAR	Paad	9896659691	
(22)	Himanshu	Karasaan	8950410475	
(23)	Rohit Kumar	DHAMOURI	9015535538	
(24)	Gurdeep Singh	Karasaan	9467227011	
(25)	Saail KUMAR	KARASAN	9992723683	
(26)	Hardeep Singh	Panjeton	9813354721	
(27)	HIST 2011	1404 1210	5903477	
(28)	Puneet Saini	V. P. O Karasaan	9467120929	
(29)	Gurdeep Saini	V. P. O Karasaan	893057723	
(30)	Manish Saini	V. P. O Karasaan	8930617442	
(31)	Mayank Saini	V. P. O Karasaan	9813390641	
(32)	Gurdeep Singh	Karasaan	9466374907	
(33)	312012 542		9621407589	
(34)	Vijay Mittal	Surya Organics	9814099970	
(35)	Rohit Mittal	Surya Organics	9988210243	
(36)	Karan Jindal	Surya Organics		
(37)	Pawan Verma	Gurgaon	9555668777	
(38)	Jai CHIBAG	Nangangarh	967191878	
	XXX	XXX	XXX	

14

आज दिनांक 6-3-22 को गाँव डोरपुर, हाडी श्वेडा, मेल, मखरपुरा में
 सुर्मा ORGONICS द्वारा स्थापित किए जा रहे 200TPD FORMALDEHYDE
 प्लान्ट को कि प्रकरण नं 2/23, 8/13, 8/17, 8/18/1 गाँव डोरपुर बलान
 राजनपुर के लिए आज चौखणा, मुनिवादी की गई और गाँव
 निवासीप को 13-4-22 को आयोजित की गई परीक्षण
 विभाग द्वारा रश्मी गई पब्लिक हेयरिंग के लिए
 आमंत्रित किया गया।

कुलीप 6-3-22

कुलीप सिद्धांत नानचन्द
 निवासी डोरपुर
 (दोलाक चाला)

(Signature)
 ग्राम पंचायत डोरपुर
 खण्ड राजनपुर (बलान)

कुलीप 6-3-22

कुलीप सिद्धांत नानचन्द
 निवासी डोरपुर
 (आटे रिकलावले)

6

राजेश कुमार

(Signature)



Amesure - 'D'

Respected sir,

With due respect I want to state that in my village sherpur at khasra no 2//23, 8/13, 8//8/1, 8/17 a formaldehyde plant is under construction by surya organics. There is already a critical condition of pollution due to a NV distellary , 5 brick construction plants and 4 big caged poultry farms in 3 km radius of my village. If this chemical plant cover all norms and policies of government then in order to counter this growing pollution it is my humble request to plant trees like neem, peepal on the 13 acres of panchayat land located near the NV distellary instead of giving this land on lease . This will not only be beneficial for the atmosphere but also for the residents of my village. If administration does not consider our request to plant trees on our panchayati land then gram panchayat sherpur shows objection for this 200 TPD Formaldehyde Chemical plant.

Writing you in Anticipation!

Gram panchayat sherpur

Sarpanch M: -9813474604

Date - 10 April, 2022

KSRTE

Karam Singh Namberdar
Vill. Sher Pur Haouast No. 285
Teb, Naraingarh (Ambala)

Jawad Singh

ग्राम पंचायत शेरपुर
खण्ड महजादपुर (अम्बाला)

Date 13/4/2022
Annexure - C

Respected sir,

With due respect I want to state that in my village sherpur at khasra no 2//23, 8//13, 8//8/1, 8//17 a formaldehyde plant is under construction by surya organics. There is already a critical condition of pollution due to a NV distellary , 5 brick construction plants and 4 big caged poultry farms in 3 km radius of my village. If this chemical plant cover all norms and policies of government then in order to counter this growing pollution it is my humble request to plant trees like neem, peepal on the 13 acres of panchayat land located near the NV distellary instead of giving this land on lease . This will not only be beneficial for the atmosphere but also for the residents of my village. If administration does not consider our request to plant trees on our panchayati land then gram panchayat sherpur shows objection for this 200 TPD Formaldehyde Chemical plant.

Writing you in Anticipation!

13
Date - 13 April, 2022

मन्सु कुमार
Mansu Kumar

शुभशान

Arunet Singh

Prince

Saurav

Sud Kumar

करीम सिंह

बापू राम सिंह
Bap/Ram Singh

Harsh

Jaswinder Singh

Gram panchayat sherpur

Sarpanch M: -9813474604

MANISH :- 9996024014

सत्येंद्र
ग्राम पंचायत शेरपुर
खण्ड शहजादपुर (अम्बाला)

करीम सिंह
Karam Singh Namberdar
Vill. Sher Pur Haubast No. 200
Teh. Naraingarh (Ambala)

ANNEXURS-B
SanDisk
Cruzer Blade™
USB 2.0 Flash Drive

32
GB*

• Reliable and Compact



store **MORE**

SanDisk®

ANDREXURS-B






पर्यावरण संरक्षण प्रदूषण नियंत्रण बोर्ड
 प्रस्तावित फॉर्मलडीहाइड निर्माण इकाई की क्षमता 200 टिपीडी के तहत पर्यावरण परीक्षा हेतु
 सार्वजनिक सुनवाई में सभी प्राधिकारित एवं अज्ञात व्यक्तियों को आमंत्रित किया जाता है
 पता : खसरा संख्या 2/23, 8/3, 8/7, 8/8/1 गांव शेरपुर, तहसील शाहजदपुर, जिला अंबाला,
 हरियाणा
 परिसीजन प्रस्तावक : मैसर्स सूर्य ऑर्गेनिक्स


HARYANA STATE POLLUTION CONTROL BOARD
WELCOMES ALL PARTICIPANTS IN PUBLIC HEARING
FOR ENVIRONMENT CLEARANCE OF PROPOSED FORMALDEHYDE
MANUFACTURING UNIT OF CAPACITY 200 TPD
AT
Khasra no. 2/23, 8/3, 8/7, 8/8/1, Village Sherpur, Tehsil Shahzadpur,
District Ambala, Haryana
PROJECT PROPOSED BY : M/S SURYA ORGANICS

Venue: M/S Surya Organics, Village Sherpur, Tehsil Shahzadpur, District Ambala, Haryana
 Schedule: Date - 13.04.2022 Time - 11:00 AM
 Organized By: Haryana State Pollution Control Board Ambala

WSPCB
 dated 13.04.2022
 No. SP/13.04.22
















HARYANA STATE POLLUTION CONTROL BOARD
 हरियाणा राज्य प्रदूषण नियंत्रण बोर्ड
 प्रस्तावित फॉर्मलडीहाइड निर्माण इकाई की क्षमता 200 ट्रीटीसी के तहत पर्यावरणमंजूरी हेतु
 सार्वजनिक सुनवाई में सभी प्रतिभागियों का स्वागत करना है।
 पता : खसरा संख्या 2/23, 8/3, 8/7, 8/8/1 अंत शेरपुर, तहसील शहजादपुर, जिला अम्बाला, हरियाणा
 परियोजना प्रस्तावक : मैसर्स सूर्या ऑर्गेनिक्स

तिथि : 13.04.2022
 सुबह 11:00 बजे

आयोजित
 हरियाणा राज्य प्रदूषण नियंत्रण बोर्ड
 अम्बाला

आयोजित
 हरियाणा राज्य प्रदूषण नियंत्रण बोर्ड
 अम्बाला


HARYANA STATE POLLUTION CONTROL BOARD
 WELCOMES ALL PARTICIPANTS IN PUBLIC HEARING
 FOR ENVIRONMENT CLEARANCE OF PROPOSED FORMALDEHYDE
 MANUFACTURING UNIT OF CAPACITY 200 TPD
 AT
 Khasra no. 2/23, 8/3, 8/7, 8/8/1, Village Sherpur, Tehsil Shahzadpur,
 District Ambala, Haryana
 PROJECT PROPOSED BY : M/S SURYA ORGANICS

Venue:
 M/S Surya Organics,
 Village: Sherpur, Tehsil Shahzadpur,
 District Ambala, Haryana

Schedule:
 Date - 13.04.2022
 Time - 11:00 AM

Organized By:
 Haryana State Pollution
 Control Board, Ambala





हरियाणा राज्य प्रदूषण नियंत्रण बोर्ड

प्रस्तावित फॉर्मालडीहाइड निर्माण इकाई की क्षमता 200 टीपीडी के तहत पर्यावरणमंजूरी

हेतु

सार्वजनिक सुनवाई में सभी प्रतिभागियों का स्वागत करता है

पता : खसरा संख्या 2//23, 8//3, 8//7, 8//8/1 गांव शेपुर, तहसील शहजादपुर, जिला अम्बाला,

हरियाणा

परिशोभना प्रस्तावक : मैसर्स सूर्या ऑर्गेनिकस

पता :
मैसर्स सूर्या ऑर्गेनिकस
गांव शेपुर, तहसील शहजादपुर,
जिला अम्बाला, हरियाणा

कार्यक्रम:
तारीख: 13.04.2022
समय: सुबह 11.00 बजे

आयोजक:
हरियाणा राज्य प्रदूषण
नियंत्रण बोर्ड, अम्बाला



HARYANA STATE POLLUTION CONTROL BOARD

WELCOMES ALL PARTICIPANTS IN PUBLIC HEARING

FOR ENVIRONMENT CLEARANCE OF PROPOSED FORMALDEHYDE

MANUFACTURING UNIT OF CAPACITY 200 TPD

AT

Khassra no. 2//23, 8//3, 8//7, 8//8/1, Village Shepur, Tehsil Shahzadpur,

District Ambala, Haryana

PROJECT PROPOSED BY : MIS SURYA ORGANICS

Schedule:

Date - 13.04.2022

Time - 11:00 AM

Organized By:

Haryana State Pollution
Control Board, Ambala

Venue:

M/S Surya Organics

Village, Shepur, Tehsil Shahzadpur,

District Ambala, Haryana





HEARING
OSFD FORMALDEHYDE
CITY 200 TPD

ur, Tehsil Shahzadpur

3
4
A ORGANICS

Organized By
aryana State
Control Board

Sl. No.	Name	Address	Capacity
1
2
3
4
5
6
7
8
9
10





